



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

H.A

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/811,310	03/16/2001	Steven Swenson	10010361-1	7339

7590 12/19/2006
AGILENT TECHNOLOGIES
Legal Dept., Ms DL429
Intellectual Property Administration
P.O. Box 7599
Loveland, CO 80537

EXAMINER

NGUYEN, KHIEM M

ART UNIT	PAPER NUMBER
----------	--------------

2839

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	12/19/2006	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

09/811,310

Applicant(s)

SWENSON ET AL.

Examiner

Khiem Nguyen

Art Unit

2839

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 July 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 and 27-31 is/are pending in the application.
- 4a) Of the above claim(s) 19-21, and 27 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4 and 6-9, 11-18, 28-31 is/are rejected.
- 7) ☒ Claim(s) 5, 10 and 27 is/are objected to.
- 8) ☒ Claim(s) 19-21 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

DETAILED ACTION

Election/Restrictions

1. Applicant's election without traverse of claims 1-18, and 28-31 in the reply filed on 7/28/06 is acknowledged.

Claim Objections

2. Claim 27 is objected to because of the following informalities: The status of claim 27 seems incorrect. Should it be (Withdrawn)? See page 9 of applicant's remarks. Appropriate correction is required.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims rejected under 35 U.S.C. 103(a) as being unpatentable over Kim et al. (6,144,792) in view of Japan' 4549A and Japan' 4111U.
5. Kim et al. discloses a cable fiber storage and deployment canister 10 as being substantially recited in the claims of the present invention. However, it is noted that Kim et al. lack to disclose that his cable entry and exit slots are being inclined or oblique to a diameter of an inner wall of the canister. It is also noted that Kim et al. lack to disclose a substantially circular inner wall affixed to a support surface of his canister. Japan' 4549A discloses slits 21 for his cable deployment canister which are being inclined with respect to a diameter of an inner wall or coiling direction.

Japan' 4111U discloses a substantially circular inner wall or aperture affixed to a support surface of his cable deployment canister 10 (see figures 1-3).

Therefore, it would have been obvious for one of ordinary skill in the art to construct or provide the cable fiber storage and deployment canister of Kim et al. with cable entry and exit slots that are inclined or oblique to a diameter of an inner wall in view of the teachings of Japan' 4549A and to provide a substantially circular inner wall affixed to the support surface in view of the teachings of Japan' 4111U. The use of inclined cable entry and exit slots would provide for better guiding of the coiled cable. The use of a circular inner affixed to a support surface would provide for stacking of identical cable canisters that is old and well known in the art.

Allowable Subject Matter

6. Claims 5 and 10 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khiem Nguyen whose telephone number is 571 272-2096. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, TC Patel can be reached on 571 272-2098. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2839

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Khiem Nguyen
Primary Examiner
Art Unit 2839